

Project: CONCRETE HELICOPTER PAD

Location: BOZEMAN RANGER DISTRICT

SHENANGO ADMINISTRATIVE SITE

GALLATIN NATIONAL FOREST, MONTANA

CONSTRUCTION SOLICITATION AND SPECIFICATIONS

Closing Date: 19 APRIL 2002

Closing Time: 1:00 PM LOCAL TIME

REMARKS: Quotes may be faxed to (206) 764-6817, Attention: Elaine Ebert, or mailed to US Army, Corps of Engineers, Seattle District, Attention: Elaine Ebert, P.O. Box 3755, Seattle, WA 98124-3755.

REQUEST FOR QUOTATIONS (THIS IS NOT AN ORDER)			THIS RFQ [X	THIS RFQ [X] IS [] IS NOT A SM		MALL BUSINESS SET-ASIDE		F PAGES
1. REQUES	_	DATE ISSUED	3. REQUISITION/PUI	RCHASE	4. CERT	T. FOR NAT. DEF.	1 RATING	
DACW67-02	2-Q-0064 16	6-Apr-2002	REQUEST NO. W68MD9-2105-6416	;		ER BDSA REG. 2 OR DMS REG. 1		
5a. ISSUED BY USA ENGINEER DISTRICT, SEATTLE ATTN: CENWS-CT					6. DELI	VER BY (Date) SEE SCHED	JLE	
P.O. BOX	X 3755 E WA 98124-3755				7. DELIV			
5b. FOR INFORMATION CALL: (Name and Telephone no.) (No collect calls) ELAINE M EBERT (206) 764-6				6698	[X] _F	OB [DESTINATION] OTHER (See Schedi	ıle)
8. TO: NAM	E AND ADDRESS,	, INCLUDING Z	IP CODE		9. DEST	TINATION (Consignee and add	dress, including I	ZIP Code)
						SEE SCHEDULE	Ē	
					Phone	e: FAX:		
10. PLEASE	E FURNISH QUOTA 19-Apr-2002	ATIONS TO THE	E ISSUING OFFICE IN BLOC	CK 5a ON OR BEFO	RE CLOSE	OF BUSINESS:		
it to the address contract for sup	s in Block 5a. This requ	uest does not commit olies are of domestic	notations furnished are not offers. It the Government to pay any costs it origin unless otherwise indicated by	ncurred in the preparation	on of the subm	nission of this quotation or to		
	•		HEDULE (Include applicabl	e Federal, State, and	d local taxe	es)		
ITEM NO. (a)		SUPPLIES/ SEI (b)	RVICES	QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AN	MOUNT (f)
	SEE	SCHED	ULE					
12. DISCOU	INT FOR PROMPT		a. 10 CALENDAR DAYS (%)	b. 20 CALENDAI	R DAYS	c. 30 CALENDAR DAYS (%)	d. CALEN	DAR DAYS
NOTE: Add	ditional provision	+	ations [] are [] are not			1		
13. NAME AND ADDRESS OF QUOTER (Street, City, County, State, and ZIP Code)			14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION 15. DATE OF QUOTATION					
			16. NAME AND T	ITLE OF S	IGNER (Type or print)		HONE NO. area code)	

SECTION B Supplies or Services and Prices

ITEM NO SUPPLIES/SERVICES QUANTITY UNIT UNIT PRICE **AMOUNT** 0001 1.00 Lump Sum AWARD WILL BE ISSUED PURSUANT TO THE SMALL FFP - BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM. PROVIDE ALL LABOR AND MATERIALS TO INSTALL A HELICOPTER TOUCHDOWN PAD, BOZEMAN RANGER DISTRICT, SHENANGO ADMINISTRATIVE SITE, GALLATIN NATIONAL FOREST MONTANA IN ACCORDANCE WITH SECTION 01000 STATEMENT OF WORK DATED APRIL 2, 2002, DRAWINGS (FORWARDED UNDER SEPERATE COVER) SPECIFICATIONS, AND THE ENCLOSED WAGE **DETERMINATION** PURCHASE REQUEST NUMBER W68MD9-2105-6416

NET AMT

NOTES:

- 1. REPRESENTATIONS AND CERTIFICATIONS CONTAINED HEREIN MUST BE COMPLETED BY OFFERORS AND RETURNED.
- 2. MARKING OF QUOTES: QUOTES SHALL BE PLAINLY MARKED AS FOLLOWS:

REQUEST FOR QUOTATION NO. DACW67-02-Q-0064

QUOTE FOR: INSTALLATION OF HELICOPTER TOUCHDOWN PAD

BOZEMAN RANGER DISTRICT, SHENANGO ADMINISTRATIVE SITE

GALLATIN NATIONAL FOREST, MONTANA

CLOSING TIME AND DATE: 19 APRIL 2002 1:00 P.M. LOCAL TIME (PST)

AMENDMENTS NUMBERED _____ HAVE BEEN RECEIVED AND ARE HEREBY ACKNOWLEDGED.

- 3. FAXED RESPONSES WILL BE ACCEPTED UNTIL THE TIME AND DATE SET FOR CLOSING. ATTENTION FAXES TO ELAINE EBERT (206) 764-6817.
- 4. CONTRACTORS MUST PAY PARTICULAR ATTENTION TO THE DUNS AND CCR REQUIREMENTS FOUND IN THE CLAUSE SECTION OF THIS SOLICITATION. FAILURE TO BE REGISTERED IN THE CCR MAY RESULT IN THE REJECTION OF OFFERS.
- 5. AWARD WILL BE MADE TO THE RESPONSIVE RESPONSIBLE OFFEROR WITH THE LOWEST TOTAL PRICE. THE GOVERNMENT RESERVES THE RIGHT TO ACCEPT QUOTES AND MAKE AWARD TO, CONTRACTORS NOT RESPONDING VIA EDI OR FACNET.
- 5. SITE VISIT INFORMATION:

A ONE TIME SITE VISIT IS SCHEDULED FOR 11:00 A.M. LOCAL TIME, 18 APRIL 2002 11:00 A.M.

SECTION 01000

STATEMENT OF WORK
INSTALL HELICOPTER TOUCHDOWN PAD
BOZEMAN RANGER DISTRICT
SHENANGO ADMINISTRATIVE SITE
GALLATIN NATIONAL FOREST, MONTANA

April 2, 2002

DESCRIPTION OF WORK: The Contractor shall provide all plant, labor, equipment and materials and perform all work in strict accordance with contract specifications, the statement of

work, and identified drawings to construct a reinforced concrete touchdown pad at the Shenango Administrative site.

Area Description: Project area is located approximately 23 miles south of Bozeman, MT on Highway 191. The site is located in the SW ¼ of Section 28, T4S, R4E, MPM.

The elements of work to be accomplished at this location are as follows:

BID ITEM 001

1. The contractor shall provide a 6" thick reinforced concrete pad with 4" of compacted subbase at the site. The government will provide staking for the location of the four corners of the proposed pad prior to construction. The pad shall be equipped with two grade level enclosures for future water and electrical hookups per the drawings. The pad shall be equipped with 5 tiedowns and stripping as indicated on the drawings. Water and electrical conduits shall be stubbed 10' outside the pad. Water bury depth shall be 6', electrical conduit depth shall be 3'. Service terminations shall be located with a pressure treated 2"x 4" (nominal) extending from the end of the service to 1' above finish grade. End of stake shall be painted florescent orange.

After pad installation the contractor shall restore all effected areas to the original condition including seeding. Seed mixture will be furnished by the Forest Service Representative.

2. Drawings and Specifications

2.1 Index of Drawings:

Site Plan	C-1, Plan and Details
C-2, Details	

^{*}Half size drawings will be transmitted under a separate cover

2.2 Specification	ns: The followir	ng specificatio	ns shall app	l <u>y</u> to this contract
	03300A			

- 3 Construction phasing and restrictions. The following phasing and restriction related issues may affect the work.
 - 3.1 Construction Restrictions:
 - 3.1.1 The Contractor shall observe all local, state, and federal regulations while performing this contract and all construction will meet or exceed applicable industry standards.
 - 3.1.2 The contractor will be responsible for obtaining any permits, approvals, or licenses required to perform the work.
 - 3.1.3 U.S. Army Corps of Engineers, Safety and Health Requirements Manual, EM 385-1-1 shall be considered a part of this contract and will be enforced as such.

- 3.1.4 The contractor shall attend a pre-work meeting presided by the C.O.E. Project Lead prior to commencing construction activities. The contractor shall contact the C.O.E. Project Lead within 5-days of issuance of contract NTP to establish a date and time for the pre-work meeting. The contractor shall submit a construction schedule and a Work Plan (as described below) at that meeting for government approval unless the government has previously approved these items. The schedule shall be in sufficient detail to identify all aspects of the work including outages, and tie ins to the electrical system. The schedule shall show project tasks with duration and start and finish times.
- 4 Construction Facilities and Temporary Controls
 - 4.1 The Government will provide reasonable amount of electricity and potable water to the contractor at no cost. These utilities are located approximately 100' from the site.
 - 4.2 The contractor shall provide portable toilet facilities for the use of his/her personnel on site.
 - 4.3 A staging area shall be provided for the contractor as directed by the COR.
 - 4.4 Work shall be performed between the hours of 7:00 AM and 5:30 PM Monday through Friday unless an alternate work schedule is approved by the COR.
 - 4.5 The Contractor is responsible for security of his own property and security of government property when construction activities affect existing security measures.

5 SUBMITTALS:

5.1 All items listed below or required per the contract specification shall be submitted for review or approval as indicated. Any proposal deviations to the design shall be submitted for approval prior to installation. ENG Form 4025 shall accompany all submittals.

Spec	<u>Activity</u>	<u>Submittal</u>
Section		
SOW	Work Plan (Government Approval prior	Hazard Analysis
	to construction start)	
		Identification of definable
		features of work
		Site specific safety plan
		Subcontractor List

6 PERFORMANCE PERIOD:

6.1 The Contractor shall be required to commence work under this contract within 10 calendar days after the date the Contractor receives the notice to proceed and complete all work under the Base Bid Item of this contract, including final cleanup of the premises, within 30 calendar days after Notice to Proceed

7 POINT OF CONTACT:

7.1 Send all correspondence to:

U.S. Army Corps of Engineers Small Projects Office ATTN: Nilo Bonifacio/Evonne Hinson PO Box 92146 Tillicum, WA 98429 – 0146

7.2 Project lead is:

James Phillip Office (406) 541-4845 Cell (406) 360-2864

7.3 Quality Assurance Representative is:

Marshall Fisher Office (406) 541-4845 Cell (406) 360-4593

SECTION 03300A

CONCRETE

PART 1 GENERAL

1.1 REFERENCES

The publications listed below form a part of this specification to the extent referenced. The publications are referred to in the text by basic designation only.

ACI INTERNATIONAL (ACI)

ACI 318/318R (1989; Rev 1992; Errata) Building Code Requirements for

Reinforced Concrete

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM A 615 (1994) Deformed and Plain Billet-Steel Bars for Concrete

Reinforcement

ASTM C 94 (1994) Ready-Mixed Concrete

ASTM C 309 Concrete (1993) Liquid Membrane-Forming Compounds for Curing

1.2 SUBMITTALS

Government approval is required for submittals with a "GA" designation; submittals having an "FIO" designation are for information only. The following shall be submitted in accordance with Section 01300 SUBMITTAL PROCEDURES and as required/indicated.

SD-09 Reports

Delivery Receipts; FIO.

The Contractor shall provide all concrete delivery receipts (trip tickets) to the Contracting Officer for record.

SD-13 Certificates

Cementitious Materials; FIO.

Cement and pozzolan will be accepted on the basis of manufacturer's certification of compliance, accompanied by mill test reports attesting that the materials meet the requirements of the specification under which it is furnished. No cement or pozzolan shall be used until notice of acceptance has been given by the Contracting Officer. Cement, pozzolan, and slag may be subjected to check testing by the Government from samples obtained at the mill, at transfer points, or at the project site.

1.3 GENERAL REQUIREMENTS

1.3.1 Strength Requirements

Structural concrete for all work shall have a 28-day compressive strength of 4000 pounds per square inch. Concrete slabs on-grade as indicated shall have a 28-day flexural strength of 600 pounds per square inch unless noted otherwise on Delivery Order. Concrete made with high-early strength cement shall have a 7-day strength equal to the specified 28-day strength for concrete made with Type I or II portland cement.

1.3.2 Air Entrainment

All concrete shall contain from 4 to 6 percent total air.

1.3.3 Special Properties

Concrete may contain other admixtures, such as water reducers, superplasticizers, or set retarding agents to provide special properties to the concrete, if approved.

1.3.4 Slump

Slump shall be within the following limits:

Structural Element	*Slump in inches			
	<u>Minimum</u>	<u>Maximum</u>		
Foundation walls, substructure walls, footings, pavement, and slab	1 os	3		
Any structural concrete approved for placement by pumping	None	6		

* Where use of superplasticizers are approved to produce flowing concrete these slump requirements do not apply.

PART 2 PRODUCTS

2.1 CONCRETE INGREDIENTS

Concrete shall conform to ASTM C 94; type I.

2.2 CURING MATERIALS

Curing materials shall be burlap, impervious sheets, or membrane-forming compounds.

2.3 EMBEDDED ITEMS

Embedded items shall be of the size and type indicated or as needed for the application.

2.4 FORM MATERIALS

Forms for concrete surfaces shall be metal, plywood, or hardboard capable of producing the required surface without adverse effect on the concrete. Form coating shall be nonstaining form oil or form release agent that will not adversely affect the concrete surfaces or impair subsequent applications to the concrete. Form ties shall be metal, factory-fabricated, removable or snap-off type that will not leave holes less than 1/4 inch nor more than 1 inch deep and not more than 1 inch in diameter.

2.7 REINFORCEMENT

Bar reinforcement shall be deformed, Grade 40 or Grade 60 billet steel conforming to ASTM A 615.

2.9 WATER

Water shall be potable.

PART 3 EXECUTION

3.1 PREPARATION OF SURFACES

Surfaces to receive concrete shall be clean and free from frost, ice, mud, and water. Conduit and other similar items shall be in place and clean of any deleterious substance. Surfaces shall be moist but without free water when the concrete is placed. Formwork and reinforcement shall be inspected and approved prior to placement of concrete.

3.2 FORMWORK

Formwork shall be mortar-tight, properly aligned, and adequately supported to produce concrete conforming accurately to the indicated shapes, lines, dimensions, and with surfaces free of offsets, waviness, or bulges. Where surfaces are to be exposed or painted, panels shall be of uniform sizes, using smaller panels only where required by openings, joints or for closure. Unless otherwise shown, exposed external corners shall be chamfered, beveled or rounded by moldings placed in the forms. Form surfaces shall be thoroughly cleaned and coated before each use. Forms shall be removed at a time and in a manner that will not injure the concrete.

3.3 INSTALLATION OF REINFORCEMENT

Reinforcement shall be fabricated to the required shapes. Reinforcement shall be interrupted 2 inches on each side of expansion joints. Reinforcement shall be accurately positioned and secured in place.

3.6 INSTALLATION OF EMBEDDED ITEMS

Embedded items shall be free from oil, loose scale or rust, and paint. Embedded items shall be installed at the locations indicated and required to serve the intended purpose. Voids in sleeves, slots and inserts shall be filled with readily removable material to prevent the entry of concrete.

3.7 BATCHING, MIXING AND TRANSPORTING CONCRETE

The work shall conform to ACI 318/318R part Construction Requirements, except as otherwise specified.

3.8 CONCRETE PLACEMENT

Concrete shall be handled from mixer to forms in a continuous manner until the approved unit of operation is completed. Adequate scaffolding, ramps and walkways shall be provided so that personnel and equipment are not supported by in-place reinforcement. Placing will not be permitted when the sun, heat, wind, or limitations of facilities furnished by the Contractor prevent proper consolidation, finishing and curing. Concrete shall be deposited as close as possible to its final position in the forms, and there shall be no vertical drop greater than 8 feet except where suitable equipment is provided to prevent segregation and where specifically authorized. Depositing of the concrete shall be so regulated that it will be effectively consolidated in horizontal layers not more than 12 inches thick, except that all slabs shall be placed in a single layer. Concrete to receive other construction shall be screeded to the proper level to avoid excessive shimming or grouting.

3.9 CONSOLIDATION

Immediately after placing, each layer of concrete shall be consolidated by internal vibrators, except for slabs 4 inches or less. The vibrators shall at all times be adequate in effectiveness and number to properly consolidate the concrete; a spare vibrator shall be kept at the jobsite during all concrete placing operations. The vibrators shall have a frequency of not less than 8000 vibrations per minute, and the head diameter and amplitude shall be appropriate for the concrete mixture being placed. Vibrators shall be inserted vertically at uniform spacing over the area of placement. The distance between insertions shall be approximately 1-1/2 times the radius of action of the vibrator so that the area being vibrated will overlap the adjacent just-vibrated area by a few inches. The vibrator shall penetrate rapidly to the bottom of the layer and at least 6 inches into the preceding layer if there is such. Vibrator shall be held stationary until the concrete is consolidated and then withdrawn slowly. The use of form vibrators must be specifically approved. Vibrators shall not be used to transport concrete within the forms. Slabs 4 inches and less in thickness shall be consolidated by properly designed vibrating screeds or other approved technique.

3.10 WEATHER LIMITATIONS

Special protection measures, approved by the Contracting Officer, shall be used if freezing temperatures are anticipated before the expiration of the specified curing period. The temperature of the concrete placed during warm weather shall not exceed 85 degrees F

except where an approved retarder is used. The mixing water and/or aggregates shall be cooled, if necessary, to maintain a satisfactory placing temperature. In no case shall the placing temperature exceed 95 degrees F.

3.11 CONTROL JOINTS

Control joints shall be located as indicated. All joints shall be sawcut.

3.12 FINISHING CONCRETE

3.12.1 Formed Surfaces

Fins and loose material shall be removed. Unsound concrete, voids over 1/2 inch in diameter shall be cut back to solid concrete, reamed, brush-coated with cement grout, and filled solid with a stiff portland cement and sand mortar mix. Patchwork shall finish flush with adjoining concrete surfaces in texture and color. Patchwork shall be cured for 72 hours.

3.12.2 Unformed Surfaces

3.12.2.1 Rough-Slab Finish

Slabs to receive fill or mortar setting beds shall be screeded with straightedges immediately after consolidation to bring the surface to the required finish level with no coarse aggregate visible.

3.12.2.2 Float Finish

Slabs to receive a steel trowel finish and slabs, where indicated, shall be given a float finish. Screeding shall be followed immediately by darbying or bull floating before bleeding water is present, to bring the surface to a true, even plane. After the concrete has stiffened to permit the operation and the water sheen has disappeared, it shall be wood floated. Lightweight concrete or concrete that portrays stickiness shall be finished with a magnesium float in lieu of a wood float, and left free of ridges and other projections.

3.12.2.4 Broom Finish

After floating, slabs, where indicated, shall be lightly trowelled, and then broomed with a fiber-bristle brush in a direction transverse to that of the main traffic.

3.13 CURING AND PROTECTION

3.13.1 General

Immediately after placement, concrete shall be protected from premature drying extremes in temperatures, rapid temperature change, mechanical injury and injury from rain and flowing water. Air and forms in contact with concrete shall be maintained at a temperature above 50 degrees F for the first 3 days and at a temperature above 32 degrees F for the remainder of the specified curing period.

3.13.2 Moist Curing

Concrete to be moist-cured shall be maintained continuously wet for the entire curing period. If water or curing materials used stains or discolors concrete surfaces which are to be permanently exposed, the concrete surfaces shall be cleaned. When wooden forms are left in place during curing, they shall be kept wet at all times. If the forms are removed before the end of the curing period, curing shall be carried out as on unformed surfaces, using suitable materials. Horizontal surfaces shall be cured by ponding, by covering with a 2 inch minimum thickness of continuously saturated sand, or by covering with waterproof paper, polyethylene sheet, polyethylene-coated burlap or saturated burlap.

3.13.3 Membrane Curing

Membrane curing shall not be used on surfaces that are to receive any subsequent treatment depending on adhesion or bonding to the concrete; except a styrene acrylate or chlorinated rubber compound meeting ASTM C 309, Class B requirements may be used for surfaces which are to be painted or are to receive bituminous roofing or waterproofing, or floors that are to receive adhesive applications of resilient flooring. The curing compound selected shall be compatible with any subsequent paint, roofing, waterproofing or flooring specified. Membrane curing compound shall not be used on surfaces that are maintained at curing temperatures with free steam. Curing compound shall be applied to formed surfaces immediately after the forms are removed and prior to any patching or other surface treatment except the cleaning of loose sand, mortar, and debris from the surface. Surfaces shall be thoroughly moistened with water and the curing compound shall be applied to slab surfaces as soon as the bleeding water has disappeared, with the tops of joints being temporarily sealed to prevent entry of the compound and to prevent moisture loss during the curing period. Compound shall be applied in a one-coat continuous operation by mechanical spraying equipment, at a uniform coverage in accordance with the manufacturer's printed instructions. Concrete surfaces which have been subjected to rainfall within 3 hours after curing compound has been applied shall be resprayed by the method and at the coverage specified. On surfaces permanently exposed to view, the surface shall be shaded from direct rays of the sun for the duration of the curing period. Surfaces coated with curing compound shall be kept free of foot and vehicular traffic, and from other sources of abrasion and contamination during the curing period.

END OF SECTION

General Decision Number MT020001

State: Montana
Construction Type:

HEAVY

County(ies):
STATEWIDE

HEAVY CONSTRUCTION PROJECTS

COUNTY(ies):
STATEWIDE

ZONE DEFINITIONS

CARPENTERS, *CEMENT MASONS, LABORERS, POWER EQUIPMENT OPERATORS, AND TRUCK DRIVERS

The zone hourly rates applicable to each project shall be determined by measuring the road miles over the shortest practical maintained route from the nearest **County** Court House of the following listed towns to the center of the job:

Bozeman			a
ZONE 2: 3		Base Pay Base Pay + \$2.20 Base Pay + \$3.70	
	GLASGOW	bove cities plus GLENDIVE SIDNEY	
-	05/16/2000	Rates AND SILVER BOW COUNTIES	5
CARPENTERS: ZONE 1: Carpenters Piledriver Millwright	rmen	18.65 18.65 20.15	4.55 4.55 4.55
CARP0028D STATEWIDE EX	, , , ,	Rates AND SILVER BOW COUNTIES	3

CARP0112A 05/01/1998

DIVERS TENDERS

Rates Fringes

54.93 5.70 26.25 5.70

BEAVERHEAD AND SILVER BOW COUNTI CARPENTERS [Zone pay not applic Carpenter Millwright Pile Driver		4.82 4.82 4.82
ELEC0044A 06/01/2001	Rates	Fringes
BEAVERHEAD, BIG HORN, BLAINE, BR CASCADE, CHOUTEAU, CUSTER, DANIE FERGUS, GALLATIN, GARFIELD, GLAC HILL, JEFFERSON, JUDITH, BASIN, MADISON, MCCONE, MEAGHER, MINERA PETROLEUM, PHILLIPS, PONDERA, PO RAVALLI, RICHLAND, ROOSEVELT, RO STILWATER, SWEET GRASS, TETON, T WHEATLAND, WIBAUX, AND YELLOWSTO LINE CONSTRUCTION:	OADWATER, CARBON LS, DAWSON, DEER IER, GOLDEN VALL LEWIS AND CLARK, L, MISSOULA, MUS WDER RIVER, POWE SEBUD, SHERIDAN, OOLE, TREASURE,	CARTER, LODGE, FALLON, EY, GRANITE, LIBERTY, SELSHELL, PARK, LL, PRAIRIE, SILVER BOW,
Lineman	25.04	4.25%+6.71
Equipment Operator	20.03	4.25%+6.34
Experienced Groundman	16.28	4.25%+6.07
ELEC0233A 06/01/2001 BLAINE, CASCADE, CHOUTEAU, FERGUS LIBERTY, PETROLEUM, PHILLIPS, PO WHEATLAND COUNTIES ELECTRICIANS	NDERA, TETON, TO	JUDITH BASIN,
ELEC0233B 06/01/2001		Fringes
BEAVERHEAD, DEER LODGE, GRANITE,	JEFFERSON, MADIS	ON, POWELL, AND
SILVER BOW COUNTIES ELECTRICIANS	21.65	4.25%+6.56
ELEC0233F 06/01/2001	Rates	Fringes
BROADWATER, LEWIS AND CLARK, AND		_
ELECTRICIANS	22.13	4.25%+6.14
ELEC0532A 06/01/2001 GALLATIN, PARK, AND SWEET GRASS	Rates COUNTIES	Fringes
ELECTRICIANS	20.74	4.25%+6.07
ELEC0532C 06/01/2001 BIG HORN, CARBON, CARTER, CUSTER CARELEL GOLDEN VALLEY MCCONE	Rates , DANIELS, DAWSO	Fringes N, FALLON,

GARFIELD, GOLDEN VALLEY, McCONE, MUSSELSHELL, POWDER RIVER,

PRAIRIE,	RICHLAND,	ROOSEVELT,	ROSEBUD,	SHERIDAN,	STILLWATER,
----------	-----------	------------	----------	-----------	-------------

TREASURE, WIBAUX AND YELLOWSTONE (ELECTRICIANS		4.25%+6.4	1 6
ELEC0768A 06/01/2001	Rates	Fringes	
FLATHEAD, LAKE, LINCOLN, MINERAL,	MISSOULA,	RAVALLI, AND SANDER	RS
COUNTIES ELECTRICIANS	23.00	7.28	
ELECTRICIANS		7.20	
ELEC0768C 12/01/2000	Rates	Fringes	
FLATHEAD, LAKE, AND LINCOLN COUNT		riinges	
LINE CONSTRUCTION:			
Cable Splicer	26.79		
Lineman	24.61		
Tree Trimmer	21.96		
Pole Sprayer	21.12		
Line Equipment Operator	20.28		
Experienced Groundman	16.24	4.25%+5.9	16
ENGI0400A 05/01/2001	Dahan	P	- -
POWER EQUIPMENT OPERATORS:	Rates	Fringes	
ZONE 1:			
GROUP 1	17.74	4.90	
GROUP 2	18.16	4.90	
GROUP 3	18.53	4.90	
GROUP 4	18.78		
GROUP 5	19.76	4.90	
GROUP 6	20.27	4.90	
GROUP 7	21.81	4.90	

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Air Compressor; Auto Fine Grader; Belt Finishing Machine; Boring Machine, small; Cement Silo; Crane, A-Frame Truck Crane; Crusher Conveyor; DW-10, 15, and 20 Tractor Roller; Farm Tractor; Forklift; Form Grader; Front-end Loader under 1 cu yd; Heavy Duty Drills; Herman Nelson Heater; Mulching Machine; Oiler, all except Cranes. & Shovels; Pumpman.

GROUP 2: Air Doctor; Backhoe/Excavator/Shovel to and including 3 cu yd; Bit Grinder; Bituminous Paving Travel Plant; Boring Machine, large; Broom, self-propelled; Concrete Travel Batcher; Concrete Float & Spreader; Concrete Bucket Dispatcher; Concrete Finish Machine; Concrete Conveyor; Distributor; Dozer, Rubber-

Tired, Push & Side Boom; Elevating Grader/Gradall; Field

Equipment Serviceman; Front-end Loader 1 cu yd to including 5 cu yd; Grade Setter; Heavy Duty Drills, all types; Hoist/Tugger, all; Hydralift & similar; Industrial Locomotive; Motor Patrol, except Finish; Mountain Skidder; Oiler - Cranes & Shovels; Pavement Breaker, EMSCO; Power Saw, self-propelled; Pugmill; Pumpcrete/Grout Machine; Punch Truck; Roller, other than Asphalt; Roller, Sheepsfoot, self-propelled; Roller, 25 tons and over; Ross Carrier; Rotomill under 6 ft; Trenching Machine; Washing/Screening Plant.

GROUP 3: Asphalt Paving Machine; Asphalt Screed;
Backhoe/Excavator/Shovel over 3 cu yd; Cableway Highline;
Concrete Batch Plant; Concrete Curing Machine; Concrete Pump;
Cranes, Creter; Cranes, Electric Overhead; Cranes, 24 tons and under; Curb Machine/Slip Form Paver; Finish Dozer; Front-end Loader over 5 cu yd; Mechanic/Welder; Pioneer Dozer; Roller,
Asphalt (Breakdown & Finish); Rotomill, over 6 ft; Scraper,
single, twin, or pulling Belly Dump; Yo-Yo Cat.

GROUP 4: Asphalt/Hot Plant Operator; Cranes, 25 tons to 44 tons; Crusher Operator; Finish Motor Patrol; Finish Scraper.

GROUP 5: Cranes, 45 tons to including 74 tons; Crane, Tower, all.

GROUP 6: Cranes, 75 tons to including 149 tons; Crane, Whirley, all.

GROUP 7: Cranes, 150 tons to including 250 tons (add \$1.00 for every 100 tons over 250 tons); Crane, Stiff-Leg or Derrick; Helicopter Hoist.

IRON0014C	07/01	/2001
TKONOOT4C	0//01	/ ZUUI

	CL A CTED		TANGOTA	Rates	MT GGOIII A	Frin	_
COUNTIES	GLACIER,	LAKE,	LINCOLN,	MINERAL,	MISSOULA,	AND	SANDERS
IRONWORKE	RS			20.5	2	10.	53
IRON0841E	3 10/01/2	2001					
				Rates		Frin	ges
REMAINING IRONWORKE				18.80	0	10.	61
LABO0098A	05/01/	2000					
LADOU JOE	05/01/2	2000		Rates		Frin	ges

LABORERS:	kates	Fringes
ZONE 1:		
GROUP 1	13 41	4.40
GROUP 2	16.19	4.40
GROUP 3	16.33	4.40
GROUP 4	17.05	4.40

LABORERS CLASSIFICATIONS

GROUP 1: Flagperson

GROUP 2: All General Labor work; Burning Bar; Bucket man; Carpenter Tender; Caisson Worker; Cement Mason Tender; Cement Handler (dry); Chuck Tender; Choker Setter; Concrete worker; Curb Machine-Lay Down; Crusher and Batch worker; Fence Erector; Form Setter; Form Stripper; Heater Tender; Landscaper; Pipe Wrapper; Pot Tender; Powderman Tender; Rail and Truck Loaders and Unloaders; Riprapper; Sealants for concrete and other materials; Sign Erection, Guard Rail and Jersey Rail; Stake Jumper; Spike Driver; Signalman; Tail Hoseman; Tool Checker and Houseman; Traffic Control worker.

GROUP 3: Concrete Vibrator; Dumpman (Grademan); Equipment Handler; Geotextile and Liners; High-Pressure Nozzleman; Jackhammer (Pavement Breaker); Laser Equipment; Non-Riding Rollers; Pipelayer; Posthole Digger (Power); Power Driven Wheelbarrow; Rigger; Sandblaster; Sod Cutter-Power; Tampers

GROUP 4: Asphalt Raker; Cutting Torch; Grade Setter; High-Scaler; Power Saws (Faller & Concrete); Powderman (\$1.00 per hour above Group 4 rate); Rock & Core Drill; Track or Truck mounted Wagon Drill; Welder including Air Arc

PAIN0260A 07/01/1999

Rates Fringes
BLAINE, BROADWATER, CASCADE, CHOUTEAU, DANIELS, FERGUS,
GARFIELD, GLACIER, GRANITE (South of a line running East & West
through the Southern city limits of Phillipsburg), HILL,
JEFFERSON, JUDITH BASIN, LEWIS AND CLARK, LIBERTY, McCONE,
MEAGHER, PETROLEUM, PHILLIPS, PONDERA, POWELL (South of a line
running East & West through the Southern City limits of
Helmsville), RICHLAND, ROOSEVELT, SHERIDAN, TETON, TOOLE, VALLEY,
AND WHEATLAND COUNTIES

PAINTERS 13.35 1%+2.75

PAIN0260C 07/01/2001

Rates Fringes
FLATHEAD, GRANITE (North of a line running East & West through
the Southern city limits of Phillipsburg), LAKE, LINCOLN,
MINERAL, MISSOULA, POWELL (North of a line running East & West
through the Southern city limits of Helmsville), RAVALLI, AND
SANDERS COUNTIES

PAINTERS 16.35 3.57

PAIN1922A 06/01/2000

Rates Fringes
BEAVERHEAD, BIG HORN, CARBON, CARTER, CUSTER, DAWSON, DEER
LODGE, FALLON, GALLATIN, GOLDEN VALLEY, JEFFERSON, MADISON,
MUSSELSHELL, PARK, POWDER RIVER, PRAIRIE, ROSEBUD, SILVER BOW,

STILLWATER, SWEET GRASS, TREASURE COUNTIES INDUSTRIAL PAINTERS	, WIBAUX, AND YELL	OWSTONE
[Includes Industrial Plants, Tanks, Pipes, Bridges]	17.55	7.13
PLAS0119A 05/01/2000		
STATEWIDE (except Deer Lodge, Jef	Rates ferson, Powell, an	
Counties)		
CEMENT MASONS: ZONE 1	16.23	5.10
DEER LODGE, JEFFERSON, POWELL, AN CEMENT MASONS:		
ZONE 1	17.30	5.10
PLUM0030C 09/01/2001		
BIGHORN, BLAINE, CARBON, CARTER, DANIELS, DAWSON, FALLON, FERGUS, VALLEY, HILL, JUDITH BASIN, LIBER MUSSELSHELL, PETROLEUM, PHILLIPS, RICHLAND, ROOSEVELT, ROSEBUD, SHE TREASURE, VALLEY, WHEATLAND, WIBA PLUMBERS	GARFIELD, GLACIER, TY, McCONE, MEAGHE PONDERA, POWDER R RIDAN, STILLWATER,	GOLDEN R, IVER, PRAIRIE TETON, TOOLE
PLUM0041A 07/01/2001	Rates	
BEAVERHEAD, BROADWATER, DEER LODG LEWIS AND CLARK, MADISON, PARK, P GRASS COUNTIES	E, GALLATIN, GRANI	TE, JEFFERSON
PLUMBERS	23.65	7.30
PLUM0459A 05/01/2001		
FLATHEAD, GLACIER, LAKE, LINCOLN, AND SANDERS	Rates MINERAL, MISSOULA	Fringes , RAVALLI,
PLUMBERS	22.56	7.45
TEAM0002A 06/01/1999 TRUCK DRIVERS:	Rates	Fringes
ZONE 1: GROUP 1 GROUP 2	13.31 17.34	4.96 4.96

TRUCK DRIVERS CLASSIFICATIONS:

GROUP 1: Pilot Car

GROUP 2: All Combination Trucks and Concrete Mixers; Distributor Driver; All Dry Batch Trucks; Dumpman, Gravel Spreader Box Operator; All Dump Trucks and similar equipment including DW 20, DW 21, or Euclid Tractor; Dumpsters; Flat Trucks; Servicemen; Lowboys, Four-Wheel Trailers; Float Semi-Trailer; Lumber Carriers, Lift Trucks & Fork Lifts; Pick-up Driver hauling material; Powder Truck (Bulk Unloader type); Power Boom; Service Truck Dirvers, Fuel Truck Drivers, Tiremen; All Water Tank Drivers; Petroleum Products Drivers; Trucks with Power Equipment such as Winch, A-Frame Truck, Crane, Hydralift, Gout-Crete Truck, and Combination Mulching, Seeding & Fertilizing Truck; Truck Mechanic

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(v)).

In the listing above, the "SU" designation means that rates listed under that identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, D. C. 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N. W. Washington, D. C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U. S. Department of Labor 200 Constitution Avenue, N. W. Washington, D. C. 20210

4.) All decisions by the Administrative Review Board are final. END OF GENERAL DECISION

SECTION I Contract Clauses

CLAUSES INCORPORATED BY REFERENCE:

52.203-3	Gratuities	APR 1984
52.203-5		
	Covenant Against Contingent Fees	APR 1984
52.203-7	Anti-Kickback Procedures	JUL 1995
52.216-9	Fixed FeeConstruction	MAR 1997
52.219-6	Notice Of Total Small Business Set-Aside	JUL 1996
52.219-8	Utilization of Small Business Concerns	OCT 2000
52.222-1	Notice To The Government Of Labor Disputes	FEB 1997
52.222-3	Convict Labor	AUG 1996
52.222-4	Contract Work Hours and Safety Standards Act - Overtime Compensation	SEP 2000
52.222-6	Davis Bacon Act	FEB 1995
52.222-7		
	Withholding of Funds	FEB 1988
52.222-8	Payrolls and Basic Records	FEB 1988
52.222-9	Apprentices and Trainees	FEB 1988
52.222-10	Compliance with Copeland Act Requirements	FEB 1988
52.222-11	Subcontracts (Labor Standards)	FEB 1988
52.222-12	Contract Termination-Debarment	FEB 1988
52.222-13	Compliance with Davis-Bacon and Related Act Regulations.	FEB 1988
52.222-14	Disputes Concerning Labor Standards	FEB 1988
52.222-16	Approval of Wage Rates	FEB 1988
52.222-18	Certification Regarding Knowledge of Child Labor for Listed End	FEB 2001
	Products	
52.222-19	Child LaborCooperation with Authorities and Remedies	DEC 2001
52.222-25	Affirmative Action Compliance	APR 1984
52.222-26	Equal Opportunity	APR 2002
52.225-9	Buy American ActBalance of Payments ProgramConstruction	FEB 2002
	Materials	
52.228-5	Insurance - Work On A Government Installation	JAN 1997
52.228-7	InsuranceLiability To Third Persons	MAR 1996
52.232-18	Availability Of Funds	APR 1984
52.232-34	Payment By Electronic Funds TransferOther Than Central	MAY 1999
02.202 0 .	Contractor Registration	1,111 1,7,7
52.233-1	Disputes	DEC 1998
52.233-3	Protest After Award	AUG 1996
52.236-1	Performance of Work by the Contractor	APR 1984
52.236-2	Differing Site Conditions	APR 1984
52.236-3	Site Investigation and Conditions Affecting the Work	APR 1984
52.236-5	Material and Workmanship	APR 1984
52.236-6	Superintendence by the Contractor	APR 1984
52.236-7	Permits and Responsibilities	NOV 1991
52.236-8	Other Contracts	APR 1984
52.236-9	Protection of Existing Vegetation, Structures, Equipment, Utilities,	APR 1984
32.230)	and Improvements	7H K 1701
52.236-10	Operations and Storage Areas	APR 1984
52.236-11	Use and Possession Prior to Completion	APR 1984
52.236-12	Cleaning Up	APR 1984
52.236-13	Accident Prevention	NOV 1991
52.236-4010	Haul Road Restoration	DEC 1999
52.250 TOTO	Trust Trong Teoretation	DEC 1777

52.237-2	Protection Of Government Buildings, Equipment, And Vegetation	APR 1984
52.243-1	ChangesFixed Price	AUG 1987
52.243-5	Changes and Changed Conditions	APR 1984
52.246-21	Warranty of Construction	MAR 1994
52.249-1	Termination For Convenience Of The Government (Fixed Price)	APR 1984
	(Short Form)	
52.249-10	Default (Fixed-Price Construction)	APR 1984
52.249-13	Failure To Perform	APR 1984
52.249-14	Excusable Delays	APR 1984
252.203-7001	Prohibition On Persons Convicted of Fraud or Other Defense-	MAR 1999
	Contract-Related Felonies	
252.203-7002	Display Of DOD Hotline Poster	DEC 1991

CLAUSES INCORPORATED BY FULL TEXT

52.204-3 TAXPAYER IDENTIFICATION (OCT 1998)

(a) Definitions.

"Common parent," as used in this provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

"Taxpayer Identification Number (TIN)," as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

- (b) All offerors must submit the information required in paragraphs (d) through (f) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M, and implementing regulations issued by the IRS. If the resulting contract is subject to the payment reporting requirements described in Federal Acquisition Regulation (FAR) 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.
- (c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the Government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

(d) Taxpayer Identification Number (TIN).
TIN:
TIN has been applied for.
TIN is not required because:
Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;
Offeror is an agency or instrumentality of a foreign government;
Offeror is an agency or instrumentality of the Federal Government.

(e) Type of organization.
Sole proprietorship;
Partnership;
Corporate entity (not tax-exempt);
Corporate entity (tax-exempt);
Government entity (Federal, State, or local);
Foreign government;
International organization per 26 CFR 1.6049-4;
Other
(f) Common parent.
Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this provision.
Name and TIN of common parent:
Name
TIN
(End of provision)
52.204-6 DATA UNIVERSAL NUMBERING SYSTEM (DUNS) NUMBER (JUN 99)
(a) The offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation "DUNS" followed by the DUNS number that identifies the offeror's name and address exactly as stated in the offer.
(b) If the offeror does not have a DUNS number, it should contact Dun and Bradstreet directly to obtain one. A DUNS number will be provided immediately by telephone at no charge to the offeror. For information on obtaining a DUNS number, the offeror, if located within the United States, should call Dun and Bradstreet at 1-800-333-0505 The offeror should be prepared to provide the following information:
(1) Company name.
(2) Company address.
(3) Company telephone number.
(4) Line of business.
(5) Chief executive officer/key manager.
(6) Date the company was started.
(7) Number of people employed by the company.
(8) Company affiliation.

(c) Offerors located outside the United States may obtain the location and phone number of the local Dun and Bradstreet Information Services office from the Internet Home Page at http://www.customerservice@dnb.com. If an offeror is unable to locate a local service center, it may send an e-mail to Dun and Bradstreet at globalinfo@mail.dnb.com.

(End of provision)

52.219-1 SMALL BUSINESS PROGRAM REPRESENTA	TIONS	(APR	2002)
--	-------	------	-------

- (a)(1) The North American Industry Classification System (NAICS) code for this acquisition is 234930
- (2) The small business size standard is \$28.5 MILLION
- (3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.
- (b) Representations. (1) The offeror represents as part of its offer that it () is, () is not a small business concern.
- (2) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, for general statistical purposes, that it () is, () is not a small disadvantaged business concern as defined in 13 CFR 124.1002.
- (3) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it () is, () is not a women-owned small business concern.
- (4) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it () is, () is not a veteran-owned small business concern.
- (5) (Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.) The offeror represents as part of its offer that it () is, () is not a service-disabled veteran-owned small business concern.
- (6) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, as part of its offer, that--
- (i) It (0 is, () is not a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and
- (c) Definitions. As used in this provision--

Service-disabled veteran-owned small business concern--

(1) Means a small business concern--

- (i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and
- (ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.
- (2) Service-disabled veteran means a veteran, as defined in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

"Small business concern," means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and the size standard in paragraph (a) of this provision.

Veteran-owned small business concern means a small business concern-

- (1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and
- (2) The management and daily business operations of which are controlled by one or more veterans.
- "Women-owned small business concern," means a small business concern --
- (1) That is at least 51 percent owned by one or more women; or in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and
- (2) Whose management and daily business operations are controlled by one or more women.
- (d) Notice.
- (1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.
- (2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small, HUBZone small, small disadvantaged, or women-owned small business concern in order to obtain a contract to be awarded under the preference programs established pursuant to section 8(a), 8(d), 9, or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall--
- (i) Be punished by imposition of fine, imprisonment, or both;
- (ii) Be subject to administrative remedies, including suspension and debarment; and
- $(iii) \ Be \ ineligible \ for \ participation \ in \ programs \ conducted \ under \ the \ authority \ of \ the \ Act.$

(End of provision)

52.219-19 SMALL BUSINESS CONCERN REPRESENTATION FOR THE SMALL BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM (OCT 2000)

(a) Definition.

"Emerging small business" as used in this solicitation, means a small business concern whose size is no greater than 50 percent of the numerical size standard applicable to the North American Industry Classification System (NAICS)

1				
COME	accioned	to a	contracting	Onnorfunity
COUC	assigned		Commacung	opportunity

- (b) [Complete only if the Offeror has represented itself under the provision at 52.219-1 as a small business concern under the size standards of this solicitation.] The Offeror [] is, [] is not an emerging small business.
- (c) (Complete only if the Offeror is a small business or an emerging small business, indicating its size range.)

Offeror's number of employees for the past 12 months (check this column if size standard stated in solicitation is expressed in terms of number of employees) or Offeror's average annual gross revenue for the last 3 fiscal years (check this column if size standard stated in solicitation is expressed in terms of annual receipts). (Check one of the following.)

No. of Employees Avg. Annual Gross Revenues

_____ 50 or fewer _____ \$1 million or less

_____ 51 - 100 _____ \$1,000,001 - \$2 million

_____ 101 - 250 _____ \$2,000,001 - \$3.5 million

_____ 251 - 500 _____ \$3,500,001 - \$5 million

_____ 501 - 750 _____ \$5,000,001 - \$10 million

_____ 751 - 1,000 _____ \$10,000,001 - \$17 million

_____ Over 1,000 _____ Over \$17 million

(End of provision)

52.219-20 NOTICE OF EMERGING SMALL BUSINESS SET-ASIDE (JAN 1991)

Offers or quotations under this acquisition are solicited from emerging small business concerns only. Offers that are not from an emerging small business shall not be considered and shall be rejected.

52.219-21 SMALL BUSINESS SIZE REPRESENTATION FOR TARGETED INDUSTRY CATEGORIES UNDER THE SMALL BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM (MAY 1999)

(Complete only if the Offeror has represented itself under the provision at 52.219-1 as a small business concern under the size standards of this solicitation.)

Offeror's number of employees for the past 12 months (check this column if size standard stated in solicitation is expressed in terms of number of employees) or Offeror's average annual gross revenue for the last 3 fiscal years (check this column if size standard stated in solicitation is expressed in terms of annual receipts). (Check one of the following.)

No. of Employees	Avg. Annual Gross Revenues
50 or fewer	\$1 million or less
51 - 100	\$1,000,001 - \$2 million
101 - 250	\$2,000,001 - \$3.5 million

251 - 500	\$3,500,001 - \$5 million
501 - 750	\$5,000,001 - \$10 million
751 - 1,000	\$10,000,001 - \$17 million
17 million	
(End of provision)	

Bidder's Site Visit

A one time site visit for offerors is scheduled for Thursday April 18, 2002 11:00 a.m. local time. Offerors wishing to visit the site shall meet Government Representative at the site.

For further information and coordination offerors are requested to contact Jim Phillip (406) 541-4845 prior to visiting site.

252.204-7001 COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE REPORTING (AUG 1999)

- (a) The offeror is requested to enter its CAGE code on its offer in the block with its name and address. The CAGE code entered must be for that name and address. Enter "CAGE" before the number.
- (b) If the offeror does not have a CAGE code, it may ask the Contracting Officer to request one from the Defense Logistics Information Service (DLIS). The Contracting Officer will--
- (1) Ask the Contractor to complete section B of a DD Form 2051, Request for Assignment of a Commercial and Government Entity (CAGE) Code;
- (2) Complete section A and forward the form to DLIS; and
- (3) Notify the Contractor of its assigned CAGE code.
- (c) Do not delay submission of the offer pending receipt of a CAGE code.

(End of provision)

252.204-7004 REQUIRED CENTRAL CONTRACTOR REGISTRATION.(NOV 2001)

(a) Definitions.

As used in this clause--

- (1) Central Contractor Registration (CCR) database means the primary DoD repository for contractor information required for the conduct of business with DoD.
- (2) Data Universal Numbering System (DUNS) number means the 9-digit number assigned by Dun and Bradstreet Information Services to identify unique business entities.
- (3) Data Universal Numbering System +4 (DUNS+4) number means the DUNS number assigned by Dun and Bradstreet plus a 4-digit suffix that may be assigned by a parent (controlling) business concern. This 4-digit suffix may be assigned at the discretion of the parent business concern for such purposes as identifying subunits or affiliates of the parent business concern.

- (4) Registered in the CCR database means that all mandatory information, including the DUNS number or the DUNS+4 number, if applicable, and the corresponding Commercial and Government Entity (CAGE) code, is in the CCR database; the DUNS number and the CAGE code have been validated; and all edits have been successfully completed.
- (b)(1) By submission of an offer, the offeror acknowledges the requirement that a prospective awardee must be registered in the CCR database prior to award, during performance, and through final payment of any contract resulting from this solicitation, except for awards to foreign vendors for work to be performed outside the United States.
- (2) The offeror shall provide its DUNS or, if applicable, its DUNS+4 number with its offer, which will be used by the Contracting Officer to verify that the offeror is registered in the CCR database.
- (3) Lack of registration in the CCR database will make an offeror ineligible for award.
- (4) DoD has established a goal of registering an applicant in the CCR database within 48 hours after receipt of a complete and accurate application via the Internet. However, registration of an applicant submitting an application through a method other than the Internet may take up to 30 days. Therefore, offerors that are not registered should consider applying for registration immediately upon receipt of this solicitation.
- (c) The Contractor is responsible for the accuracy and completeness of the data within the CCR, and for any liability resulting from the Government's reliance on inaccurate or incomplete data. To remain registered in the CCR database after the initial registration, the Contractor is required to confirm on an annual basis that its information in the CCR database is accurate and complete.
- (d) Offerors and contractors may obtain information on registration and annual confirmation requirements by calling 1-888-227-2423, or via the Internet at http://www.ccr.gov.

(End of clause)